



## PARATECH VEHICLE STABILIZATION KITS

Paratech Vehicle Stabilization Kits have the strength and flexibility to handle any size vehicle anytime, anywhere. This includes sub compact cars, buses, cement trucks and even train locomotives. Additionally, these components provide the extra value of being completely interchangeable with your other Paratech equipment for building collapse and trench rescue scenarios. They are strong, sturdy and reliable. Paratech systems are the easiest to use and the strongest VSKs on the market today.

### VSK COMPARISONS

|                        | Supporter          | Standard           | Highway             | Interstate            |
|------------------------|--------------------|--------------------|---------------------|-----------------------|
| Max Load               | 20,000lb / 9,072kg | 40,00lb / 18,143kg | 80,000lb / 36,287kg | 120,000lb / 54,431 kg |
| # of AcmeThread Struts | 0                  | 2                  | 4                   | 0                     |
| # of LongShore Struts  | 0                  | 0                  | 0                   | 6                     |
| # of Extensions        | 1                  | 4                  | 6                   | 6                     |
| # of Bases             | 1                  | 4                  | 8                   | 18                    |
| # of Ratchet Belts     | 1 (Attached)       | 4                  | 4                   | 6                     |

With the highest industry safety standard, Paratech's VSK can hold 10,000lb / 4,536kg up to 120,000lb / 54,431kg.

Paratech vehicle stabilization kits have the strength & flexibility to handle any size vehicle anytime, anywhere.



### VSK CONTROLLER 2

**Safely use compressed air to extend struts!**

This innovative controller is capable of extending the heaviest combination of struts and extensions with a simple on / off control. Its low 29 PSI / 2Bar pressure reduction and unique automatic vent relief feature, eliminates the fear of over pressurizing in the event of a load shift, ensuring a secure and steady strut extension. Ideal for safely chas-ing stabilization struts while performing a lift.

**NOW WITH TWO AIR OUTLETS!**

Net Weight: 2.4 lbs 1.0 kg

Part No. 22-796V02





## SUPPORTER X2- ALL-IN-ONE VEHICLE STABILIZER

The 'ALL IN ONE' Vehicle Stabilizer!

**Stronger, Faster, Safer!**

When you need to stabilize a vehicle accident scene quickly, there is nothing faster or stronger. With the TwistLock Collar all you need to do is TWIST, EXTEND, LOCK and the SUPPORTER can stabilize 10,000 lb / 4,535 kg with a 2:1 safety factor at ANY height.

**Maximum load up to 10,000 lb / 4,535 kg  
with a 2:1 safety factor**

- EASY EXTRA EXTENSION ABILITY
- WEIGHT: 35.0 LB / 15.9 KG
- COLLAPSED, BASE ON GROUND  
40 IN / 101.6 CM
- EXTENDED, BASE ON GROUND  
65.4 IN / 166.1 CM
- EXTENDED WITH EXTENSION  
95.4 IN / 242.3 CM



| Kit Part No. |              | Net Weight: lb | kg   |
|--------------|--------------|----------------|------|
| 22-797E12E   | SUPPORTER X2 | 35.0           | 15.9 |



### SPIKE BASE

- POSITIVE GRIP
- SHACKLE HOLE
- ANGLE INDICATOR
- REPLACEABLE SPIKES
- INTEGRATED V & CONE BASE

**QUICK  
SUPER  
EXTENSION TO  
95.4 IN / 242.3 CM**

**QUICK  
EXTENSION TO  
70.0 IN / 177.8 CM**

**TWIST-LOCK  
COLLAR**

**AUTO-REWIND  
BELT**

**INTEGRATED  
RATCHET  
BELT**

**90° BASE  
FOLDS FLAT FOR  
EASY STORAGE**







## VSK BASE KITS

Bases integrated with ratchet belt and anchor ring, ready for rapid deployment, making vehicle stabilization quicker & easier.

| VSK Base 6 Kit Part No. | Net Weight: lb | kg   |
|-------------------------|----------------|------|
| <b>22-796303</b>        | 25.9           | 11.7 |

| Part No.   | Description                | Quantity |
|------------|----------------------------|----------|
| 22-796331  | VSK Base 6                 | 1        |
| 22-797042E | Adjustable Carrying Handle | 1        |
| 22-796161  | Tie-Down Keys w/J Hook     | 1        |

### Product Features:

- FAST AND EASY TO DEPLOY
- AVAILABLE WITH SMALL OR LARGE SIZE BASE FOOT
- INTEGRATED ANCHOR RING FOR MULTIPLE RATCHET BELT USAGE
- BUILT IN RATCHET KEEPS HOT ZONE FREE OF TRIPPING HAZARD FROM UNUSED BELT
- COMPATIBLE WITH ALL OF PARATECH'S ACMETHREAD AND LOCKSTROKE RESCUE SUPPORT SYSTEM COMPONENTS

| VSK Base 12 Kit Part No. | Net Weight: lb | kg   |
|--------------------------|----------------|------|
| <b>22-796309</b>         | 30.9           | 14.0 |

| Part No.   | Description                | Quantity |
|------------|----------------------------|----------|
| 22-796308  | VSK Base 12                | 1        |
| 22-797042E | Adjustable Carrying Handle | 1        |
| 22-796161  | Tie-Down Keys w/J Hook     | 1        |



LOAD CAPACITY OF  
20,000 LBS. / 9,071.8 KG  
WITH A 4:1 SAFETY FACTOR.



LOAD CAPACITY OF  
20,000 LBS. / 9,071.8 KG  
WITH A 4:1 SAFETY FACTOR.




## STANDARD VSK

Paratech's flagship kit and the "standard" when addressing your stabilization needs. This kit covers everything from small vehicles to large commercial/municipal vehicles.

Maximum load up to 40,000 lb / 18,144 kg with a 4:1 safety factor

| Kit Part No.     | Net Weight: lb | kg   |
|------------------|----------------|------|
| <b>22-796850</b> | 97.3           | 44.2 |

| Part No.   | Description                              | Quantity |
|------------|--|----------|
| 22-796200  | AcmeThread Strut 25-36 in / 64-91 cm     | 2        |
| 22-796012  | Strut Extension 12 in / 30 cm            | 2        |
| 22-796024  | Strut Extension 24 in / 61 cm            | 2        |
| 22-796025  | Multi-Base                               | 2        |
| 22-796180C | Hinged Base w/Anchor Ring 12 in / 30 cm  | 2        |
| 22-890553  | Ratchet Belt w/Finger Hook 27 ft / 8.2 m | 4        |
| 22-796161  | Tie Down Keys w/J Hook                   | 2        |





## HEAVY VEHICLE EXTRICATION KIT

The most comprehensive heavy lifting kit available, utilizing the strength of HydraFusion Struts, lifting height and power of the MULTIFORCE in the Rapid Extrication Kit, as well as the environmentally friendly sturdiness of recycled plastic cribbing PLUS much more. With this Kit you can lift and stabilize any SIZE vehicle on the road. All packed up in 4 convenient, mobile carrying cases.



- STABILIZE EVERYTHING FROM SMALL VEHICLES, LARGE COMMERCIAL/MUNICIPAL VEHICLES, AND FULLY LOADED TRACTOR TRAILERS TO TRAINS
- EASE OF USE: NO PINS, NO CABLES
- EXTREMELY SAFE AND SECURE: PARATECH STRUTS ALWAYS DEFAULT TO LOCKED POSITION
- INCLUDES 4 CARRYING CASES FOR CONVENIENT STORAGE OF SMALLER PARTS, PROVIDING A FAST AND ORGANIZED WAY TO BRING EVERYTHING YOU NEED TO THE SCENE
- CUSTOM CUT OUTS IN CASES TO MAINTAIN CONSISTENCY AND ORGANIZED PLACEMENT OF COMPONENTS AFTER USE
- CASES ARE LABELED WITH CONTENTS



### 22-88HVEK HEAVY VEHICLE EXTRICATION KIT 22-88HVEKD HEAVY VEHICLE EXTRICATION KIT DIN

Weight 1,259.1 lbs/ 571.1 kg

| Part No.   | Description                                    | Quantity |
|------------|--|----------|
| 22-79HA10K | HydraFusion 10 Kit                             | 2        |
| 22-796035  | Extension Converter                            | 2        |
| 22-796180C | Hinged Base Plate w/ Anchor Ring 12 in / 30 cm | 6        |
| 22-88DREK  | Rapid Extrication Kit                          | 1        |
| 22-796720  | LongShore Strut 304 36-50 in / 91-127 cm       | 2        |
| 22-796730  | LongShore Strut 406 48-73 in / 122-185 cm      | 2        |
| 22-796360  | LongShore Strut 610 72-116 in / 183-295 cm     | 2        |
| 22-796342  | LongShore 235 Extension 24 in / 61 cm          | 2        |
| 22-796356  | LongShore 435 Extension 48 in / 122 cm         | 2        |
| 22-796376  | LongShore 635 Extension 67 in / 170 cm         | 2        |
| 22-000680  | SPF Hooligan                                   | 1        |
| 22-796090  | V Base   | 4        |
| 22-796270  | Contour Base                                   | 4        |
| 22-796025  | Multi-Base                                     | 4        |
| 22-890015  | Non Slip Neoprene Pad                          | 2        |
| 22-796P14  | Double Headed Picket 40 in / 106cm             | 4        |
| 22-796C1H  | Chain 20 ft / 6.1 m x 3/8 in, grade 100        | 2        |
| 22-890553  | Ratchet Belt w/Finger Hook 27 ft / 8.2 m       | 6        |
| 22-796161  | Tie Down Keys w/J Hook                         | 4        |
| 22-796979  | Chain Binder                                   | 2        |
| 22-88C00K  | Cribbing Kit                                   | 1        |
| 22-796V02  | VSK Controller                                 | 1        |

## RAPID EXTRICATION KIT

Combining the speed of Paratech's MULTIFORCE Air Lifting Bag with the flexibility of our Standard VSK, the Rapid Extrication Kit gets vehicles lifted and stabilized quicker than any other.

### 22-88DREK RAPID EXTRICATION KIT 22-88DREDK RAPID EXTRICATION KIT- DIN

Weight 190.2 lb / 86.3 kg

| Part No.   | Description                          | Quantity |
|------------|--------------------------------------|----------|
| 22-88D025K | Remote Placement MULTIFORCE Bag Kit  | 1        |
| 22-796200  | AcmeThread Strut 25-36 in / 64-91 cm | 2        |
| 22-796012  | Strut Extension 12 in / 30 cm        | 2        |
| 22-796024  | Strut Extension 24 in / 61 cm        | 2        |
| 22-796025  | Multi-Base                           | 2        |
| 22-796180C | Hinged Base 12 w/Anchor Ring         | 2        |
| 22-890553  | Ratchet Belt 27' WLL 3300 lbs        | 4        |
| 22-796161  | Tie Down Keys w/J Hook               | 2        |







## HIGHWAY VSK

Doubling the capacity of the Standard VSK, this kit is designed for multiple vehicles, longer reach and heavier weights such as a fully loaded tractor trailer.

Maximum load up to 80,000 lb / 36,287 kg  
with a 4:1 safety factor




2 - Strut Extensions 12 in / 30 cm 22-796012




2 - Strut Extensions 24 in / 61 cm 22-796024



2 - Strut Extensions 36 in / 91 cm 22-796036



2 - AcmeThread Struts 25-36 in / 64-91 cm 22-796200



2 - AcmeThread Struts 37-58 in / 94-147 cm 22-796202



| Kit Part No.     | Net Weight: lb | kg   |
|------------------|----------------|------|
| <b>22-796852</b> | 167,5          | 76,0 |

| Part No.          | Description                              | Quantity |
|-------------------|--|----------|
| <b>22-796200</b>  | AcmeThread Strut 25-36 in / 64-91 cm     | 2        |
| <b>22-796202</b>  | AcmeThread Strut 37-58 in / 94-147 cm    | 2        |
| <b>22-796012</b>  | Strut Extension 12 in / 30 cm            | 2        |
| <b>22-796024</b>  | Strut Extension 24 in / 61 cm            | 2        |
| <b>22-796036</b>  | Strut Extension 36 in / 91 cm            | 2        |
| <b>22-796025</b>  | Multi-Base                               | 4        |
| <b>22-796180C</b> | Hinged Base w/Anchor Ring 12 in / 30 cm  | 4        |
| <b>22-890553</b>  | Ratchet Belt w/Finger Hook 27 ft / 8.2 m | 4        |
| <b>22-796161</b>  | Tie Down Keys w/J Hook                   | 4        |



4 - Hinged Base with Anchor Ring 12 in / 30 cm  
22-796180C



4 - Tie Down Keys with J Hook  
22-796161



4 - Ratchet Belt with Finger Hook 27 ft /  
8,2 m  
22-890553



4 - Multi-Base  
22-796025



**PARATECH**

# VEHICLE STABILIZATION KITS

## INTERSTATE/MOTORWAY VSK

The ultimate vehicle stabilization kit. There is no vehicle on the road, runway or track that this kit cannot stabilize. When your vehicular rescue needs the strongest system available, look no further.

Maximum load up to 120,000 lb / 54,431 kg with a 4:1 safety factor

| Kit Part No.     | Net Weight: lb | kg    |
|------------------|----------------|-------|
| <b>22-796855</b> | 438.2          | 198.0 |

| Part No.          | Description                                    | Quantity |
|-------------------|--|----------|
| <b>22-796720</b>  | LongShore Strut 304 36-50 in / 91-127 cm       | 2        |
| <b>22-796730</b>  | LongShore Strut 406 48-73 in / 122-185 cm      | 2        |
| <b>22-796360</b>  | LongShore Strut 610 72-116 in / 183-295 cm     | 2        |
| <b>22-796342</b>  | LongShore 235 Extension 24 in / 61 cm          | 3        |
| <b>22-796356</b>  | LongShore 435 Extension 48 in / 122 cm         | 3        |
| <b>22-796090</b>  | V Base   | 4        |
| <b>22-796270</b>  | Contour Base                                   | 4        |
| <b>22-796025</b>  | Multi-Base                                     | 4        |
| <b>22-796180C</b> | Hinged Base Plate w/ Anchor Ring 12 in / 30 cm | 6        |
| <b>22-796C1H</b>  | Chain 20 ft / 6.1 m x 3/8 in, grade 100        | 2        |
| <b>22-890553</b>  | Ratchet Belt w/Finger Hook 27 ft / 8.2 m       | 6        |
| <b>22-796161</b>  | Tie Down Keys w/J Hook                         | 4        |
| <b>22-890015</b>  | Non Slip Neoprene Pad                          | 2        |



3 - LongShore Extension 235 24 in / 61 cm 22-796342



3 - LongShore Extension 435 48 in / 122 cm 22-796356



2 - LongShore Strut 304 36-50 in / 91-127 cm 22-796720



2 - LongShore Strut 406 48-73 in / 119-185 cm 22-796730



2 - LongShore Strut 610 72-116 in / 183-295 cm 22-796360



6 - Hinged Base with Anchor Ring 12 in / 30 cm 22-796180C



2 - Non Slip Neoprene Pad 22-890015



2 - Chain 20 ft / 6.1 m x 3/8 in, grade 100 22-796C1H



4 - Tie Down Keys with J Hook 22-796161



6 - Ratchet Belt with Finger Hook 27 ft / 8.2 m 22-890553



4 - Contour Base 22-796270



4 - V Base 22-796090



4 - Multi-Base 22-796025

